

(1) Publication number:

0 562 172 A1

(12)

Ì

EUROPEAN PATENT APPLICATION

21 Application number: 92120534.0

22 Date of filing: 02.12.92

(a) Int. Cl.⁵: **C10M 141/08**, C10M 141/10, C10M 141/12, C10M 163/00, //(C10M141/08,129:54,133:56, 135:18), (C10M141/10,129:54, 133:56,137:10,137:10), (C10M141/12,129:54,135:18, 137:10,137:10,139:00), (C10M163/00,129:54,135:18, 137:10,137:10)

- Priority: 12.12.91 JP 328772/91
- 43 Date of publication of application: 29.09.93 Bulletin 93/39
- Designated Contracting States:
 BE CH DE FR GB IT LI NL SE

- Applicant: IDEMITSU KOSAN COMPANY LIMITED
 1-1, Marunouchi 3-chome Chiyoda-ku Tokyo(JP)
- Inventor: Tamoto, Yoshitaka c/o Idemitsu Kosan, Co., Ltd. 24-4, Anasakikaigan Ichihara-shi, Chiba-ken(JP)
- Representative: Türk, Gille, Hrabal, Leifert Brucknerstrasse 20 D-40593 Düsseldorf (DE)

- Engine oil composition.
- There is disclosed an engine oil composition which comprises as the essential components (A) a base oil comprising either or both of a mineral oil and a synthetic oil, (B) a boron compound derivative of alkenylsuccinimide, (C) an alkaline earth metal salt of salicylic acid and (D) either or both of a molybdenum dithiophosphate and a molybdenum dithiocarbamate. The above engine oil composition can effectively be used as a lubricating engine oil in automobiles and various industrial internal combustion engines by virtue of reduced friction loss of an engine by the use thereof and its low friction properties both in the early stages of use and after being used for a certain period of time.

BACKGROUND OF THE INVENTION

1. Field of the Invention

10

25

35

40

50

The present invention relates to an engine oil composition. More particularly it relates to an engine oil composition capable of reducing the friction loss in an engine and having the low friction properties not only in the early stages of use but also after it is used for a certain period of time.

2. Description of Related Arts

A lubricating engine oil for automobiles and various industrial internal combustion engines must have many properties. For example, the lubricating engine oil should (1) have good detergency, (2) be excellent in wear resistance and (3) highly stable against heat and oxidation, (4) have low oil consumption, (5) permit the engine to have a low friction loss and the like. Particularly, the property of permitting the engine to have

a low friction loss as set forth in (5) above is particularly important from the viewpoint of saving energy and protecting the earth's environment from CO2 and the like.

In an attempt to meet this requirement, there have been conventionally used the technics wherein molybdenum dithiophosphate, molybdenum dithiocarbamate or like is added to the engine oil as a friction modifier (Japanese Patent Application Laid Open No.215697/1987 and Japanese Patent Publication No. 23595/1991).

However, various problems are inherent in these related arts. For example,

1) Certainly, the addition of friction modifier is effective to reduce the friction loss of the engine, but the added friction modifier is liable to be adversely affected by other additives contained in the engine oil, and there is a possibility that the effect of adding the chemical is variation-ridden and unstable.

2) Another problem is that the friction modifier is effective in the early stages of use but the effect thereof fades away comparatively soon thereafter.

Thus, the present inventor has made intensive studies with a view to finding a solution in these previous problems and developing an engine oil capable of taking an effect to steadily reduce the friction loss of an engine for a long period of time.

As the result, it has been found that said object can be achieved by incorporating into a base oil an organomolybdenum compound, a boronic succinimide and an alkaline earth metal salt of salicylic acid. The present invention has been completed on the basis of this finding.

SUMMARY OF THE INVENTION

An object of the present invention is to provide an engine oil composition capable of reducing the friction loss of an engine.

Another object of the present invention is to provide an engine oil composition having the low friction properties not only in the early stages of use but also after it is used for a certain period of time.

Still another object of the present invention is to provide an engine oil composition which is excellent in a stability against heat and oxidation and has low oil consumption.

Specifically, the present invention provides an engine oil composition which comprises as the essential components (A) a base oil selected from a mineral oil and a synthetic oil, (B) 1 to 10% by weight of a boron compound derivative of alkenylsuccinimide, (C) 1 to 10% by weight of an alkaline earth metal salt of salicylic acid and (D) 100 to 2000ppm of a molybdenum compound (in terms of molybdenum atoms) selected from a molybdenum dithiophosphate and a molybdenum dithiocarbamate.

DESCRIPTION OF PREFERRED EMBODIMENT

As the base oil (component (A)) of the engine oil composition of the present invention, various mineral oils and synthetic oils can be used. Ordinarily it comprises either or both of a mineral oil and a synthetic oil each having a kinematic viscosity of 1 to 100cSt at 100 °C.

Examples of the mineral oil to be used herein include a paraffinic mineral oil, an intermediate mineral oil and a naphthenic mineral oil. On the other hand, various synthetic oils can be used herein, including a (co)polymer (including an oligomer) of olefin having 2 to 16 carbon atoms, an alkylbenzene, an alkylnaphthalene and various esters or fatty acid esters such as neopentylglycol, trimethylolpropane and pentaerythritol. These mineral and synthetic oils can be used not only singly but also in their mixture at a discretionary ratio.

The component (B) of the engine oil composition of the present invention includes various boron compound derivatives of alkenylsuccinimide which are manufactured according to many different methods.

There are, for example (1) a product obtained by reacting an alkyl-substituted succinic anhydride with a reaction product between an alkyleneamine and a boron compound (Japanese Patent Publication NO. 8013/1967). (2) a product obtained by reacting an alkyleneamine with a reaction product between a hydrocarbon-substituted succinic anhydride and a boron compound (Japanese Patent Publication No. 8014/1967), (3) a product obtained by reacting a primary amino boron compound containing hydroxyl groups with an alkenylsuccinic anhydride (Japanese Patent Application Laid-Open No. 52381/1976), (4) a product obtained by reacting a boron compound with a product which results from the reaction of an aromatic polybasic carboxylic acid, an alkenylsuccinic acid and a polyalkylenepolyamine at a specific molar ratio (Japanese Patent Application Laid-Open No. 130408/1976), (5) a condensation product among an amino alcohol, a boric acid and an oxyethanecarboxylic acid (Japanese Patent Application Laid-Open No. 87705/1979) and (6) a product obtained by reacting a polyalkyleneglycol, a secondary alkanolamine and a boron compound with a polyalkenylsuccinic anhydride one after another.

Specifically, a boron compound of polybutenyl (number-average molecular weight of 500 to 5000) succinimide can be mentioned.

These boron compound derivatives of alkenylsuccinimide are ordinarily compounded into the composition as the whole in an amount of 1 to 10% by weight, preferably 2 to 8% by weight. When the amount is less than 1% by weight, the effect aimed by the present invention cannot be obtained. When the amount is more than 10% by weight, the effect cannot be obtained in proportion thereto and it is not necessary to compound these compounds in such a large amount.

As the component (C) of the engine oil composition of the present invention, various alkaline earth metal salts of salicylic acid can be used. Preferable is a salicylate compound represented by the general formula (I):

$$(R)$$
 OH M OH

wherein R is a hydrogen atom or an alkyl group having 1 to 30 carbon atoms, n is an integer from 1 to 4 and M is an alkaline earth metal, especially Ca, Ba or Mg.

Among various salicylate compounds, calcium salicylate and magnesium salicylate are most suitable.

These alkaline earth metal salts of salicylic acid are ordinarily compounded into the composition as the whole in an amount of 1 to 10% by weight, preferably 2 to 6% by weight. When the amount is less than 1% by weight, the effect aimed by the present invention cannot be obtained. When the amount is more than 10% by weight, the effect cannot be obtained in proportion thereto and it is not necessary to compound them in such a large amount.

Now, in the engine oil composition of the present invention comprising the boron compound derivative of alkenylsuccinimide as the component (B) and the alkaline earth metal salt of salicylic acid as the component (C), the ratio by concentration of boron to alkaline earth metal is 0.5 to 50, preferably 0.5 to 10 expressed in terms of atomic ratio.

When the atomic ratio of boron/alkaline earth metal is less than 0.5, the engine is susceptible to a large friction loss in the early stages of using the engine oil composition. When that ratio is more than 50, a large friction loss is liable to occur in the engine after the engine oil composition is deteriorated.

Furthermore, as the component (D) of the engine oil composition of the present invention, the molybdenum compound includes either or both of molybdenum dithiophosphate (MoDTP) and molybdenum dithiocarbamate (MoDTC). Of them molybdenum dithiocarbamate is preferable. This MoDTP includes molybdenum dialkyl (or diaryl) dithiophosphate such as molybdenum disopropyldithiophosphate, molybdenum di-(2-ethylhexyl) dithiophosphate and molybdenum di-(nonylphenyl) dithiophosphate. MoDTC includes molybdenum dialkyldithiocarbamate such as molybdenum dibutyldithiocarbamate, molybdenum di-(2-ethylhexyl) dithiocarbamate and molybdenum dilauryldithiocarbamate.

These molybdenum compounds are ordinarily compounded into the composition as the whole in an amount of 100 to 2000ppm, preferably 200 to 1500ppm (in terms of molybdenum atoms). When the amount is less than 100ppm, the effect aimed by the present invention cannot be obtained. When the amount is more than 2000ppm, detergency may occasionally be deteriorated in the engine oil composition.

15

25

30

The engine oil composition of the present invention is prepared basically by compounding the components (A), (B), (C) and (D) as the essential components but when necessary various additives can be compounded thereinto.

For example, the additives capable of providing the composition with the better engine oil capabilities can be compounded as desired, including viscosity index improver, pour point depressant, antioxidant, detergent-dispersant, anti-wear agent, rust preventive and the like. Specifically, examples of the viscosity index improver include polymethacrylate, polyisobutylene, ethylene-propylene copolymer, styrene-dienehydride copolymer and the like. Examples of the pour point depressant include polyalkylmethacrylate, phenol condensation product, naphthalene condensation product and the like. Examples of the antioxidant include hindered phenolic antioxidant (for example, 2, 6-di-tert-butylparacresol and the like), amine-based antioxidant (for example, \alpha-naphthylamine, phenylnaphthylamine and the like), phosphoric antioxidant and the like. Examples of the detergent-dispersant include a sulfonate, a phenate and the like. These additives are compounded into the composition when necessary.

Desirable among other additives is zinc dialkyldithiophosphate and more desirable is secondary alkyl type zinc dialkyldithiophosphate (most desirable is a member thereof containing 50% or more by weight of secondary alkyl groups in the total amount of all alkyl groups (including organic residues other than the alkyl groups such as aryl group) of zinc dialkyldithiophosphate).

As stated above, the present invention provides an engine oil composition capable of reducing the friction loss of an engine and having the low friction properties not only in the early stages of the use thereof but also after it is used for a certain period of time.

Next, the present invention will be described in greater detail with reference to examples and comparative examples. Table 1 shows the compounding ratio of the components for preparation of the engine oil composition in the examples and the comparative examples.

25

30

35

40

45

50

Table 1

amples 3 81.5	4
3	4
	4
81.5	
	81.5
-	2
5	-
	3
-	-
3.5	3.5
-	_
-	_
2	2
-	_
5	5
3	3
700	700
1.2	0.8
0.27	0.28
0.28	0.29
	- 5 - 3.5 - - 2 - 5 3 700 1.2 0.27

50

Table 1(continued(1))

		- 1: (+4) -£ Frainc 0:	il Compo	sition	
	Compounding	Ratio (wt%) of Engine O		tive Exa	mples
			1	2	3
Α Τ	100N mineral oil)	81.5	81.5	83
,	Boronic succinim		-	-	5
	Boronic succinim		_	_	
В	For comparison				
	Succinimide*		5	_	
	Mannich base ⁵		_	5	
	Ca salicylate'		3.5	3.5	
	For comparison				
С	Ca sulfonate)		-	2
	Ca phenate ⁸		-	_	-
	MoDTC9'		2	2	2
D	MoDTC ¹⁰			-	-
Ot	her components				
	Polymethacryla	te ¹ 1)	5	5	5
	Antioxidant &	other ¹²⁾	3	3	3
Pr	operties				
M	lo content(ppm)		700	700	700
B	Boron/Alkaline ear	th metal (atomic ratio)	-	-	1.7
Er	ngine valve train	New oil	0.31	0.31	0.3
fr (·iction torque (g·m)	Aft.50hr deterioration	0.34	0.36	0.3

Table 1(continued(2))

	Compound	ing Ratio (wt%) of Engine	e Oil Composition			
			Compa	rative E	tive Examples	
ļ		· · · · · · · · · · · · · · · · · · ·	14	5	6	
A	100N mineral c	oil"	82.5	82	83	
	Boronic succin	imide A ²	5	0.5	5	
	Boronic succin	imide B ³	-	_	-	
В	For comparison					1
	Succinimide	†)	-	4	_	
	Mannich bas	e ⁵)	-	_		
	Ca salicylate)	_	3.5		
С	For comparison					ĺ
	Ca sulfonate	e ⁷)	_	_	2	
	Ca phenate ⁸		2.5	-	_	
D	MoDTC9'	2	2	2		
	MoDTC10,		_	_	_	
Oth	er components					
	Polymethacrylate''			5	5	
	Antioxidant & other ¹²			3	3	
Pro	Properties					
Мо	content(ppm)		700	700	700	
Boi	Boron/Alkaline earth metal (atomic ratio)		1.6	0.2	1.6	
Engi	ine valve train	New oil	0.31	0.30	0.33	
11110	ction torque ·m)	Aft.50hr deterioration	0.35	0.33		

Antioxidant and other in Comparative Example 6:

A primary alkyl type zinc dialkyldithiophosphate was compounded.

Furthermore, there are the explanatory notes for Table 1 here, as follows:

1): A 100 neutral mineral oil purified by a solvent.

- 2): A boron compound of polybutenylsuccinimide, boron = 2% by weight, nitrogen = 2.1% by weight
- 3): A boron compound of polybutenylsuccinimide, boron = 1.4% by weight, nitrogen = 1.4% by weight
- 4): A polybutenylsuccinimide, nitrogen = 2% by weight
- 5): A Mannich base, nitrogen = 1.4% by weight
- 6): A Ca salicylate, Ca = 6% by weight

7

50

- 8): A Ca phenate, Ca = 9.3% by weight
- 9): A molybdenum di-(2-ethylhexyl) dithiocarbamate, Mo = 3.5% by weight
- 10): A molybdenum di-(2-ethylhexyl) dithiophosphate, Mo = 7% by weight
- 11): A polymethacrylate, weight-average molecular weight (Mw) = 200,000
- 12): A secondary alkyl type zinc dialkyldithiophosphate (Zn in oil = 0.11% by weight), phenolic antioxidant
- (0.5% by weight), a defoaming agent and others

Examples 1 to 4 and Comparative Examples 1 to 6:

These examples and comparative examples were carried out as follows:

From a SOHC (single overhead camshaft) engine of 1500cc displacement, an engine head (a valve train part) was removed. The camshaft thereof was driven by a motor and the torque then loaded on the camshaft was measured.

The camshaft was caused to rotate at 750rpm and an engine oil was fed to the engine head at a rate of 1 liter/min at a temperature of 80 °C.

The test oils used were a new oil and an oil which was deteriorated by treating the same with an engine of a 2200cc displacement operating as if in a high speed driving trip for 50 hours.

The performance was evaluated as set forth above and the results thereof are given in Table 1.

As evident from Table 1, the test results were excellent in the examples of the present invention as compared with those of the comparative examples. Especially, in all examples, the friction torque was found to remain entirely unchanged whether it was tested with the new oil or the oil deteriorated by the 50-hour treatment.

Claims 25

5

10

15

20

30

35

- An engine oil composition which comprises as the essential components (A) a base oil, (B) 1 to 10% by weight of a boron compound derivative of alkenylsuccinimide, (C) 1 to 10% by weight of an alkaline earth metal salt of salicylic acid and (D) 100 to 2000ppm of at least one molybdenum compound (in terms of molybdenum atoms) selected from a molybdenum dithiophosphate and a molybdenum dithiocarbamate.
- The engine oil composition according to Claim 1, wherein the base oil is a mineral oil having a kinematic viscosity of 1 to 100cSt at 100 °C.
- The engine oil composition according to Claim 1, wherein the base oil is a synthetic oil having a 3. kinematic viscosity of 1 to 100cSt at 100 °C.
- The engine oil composition according to Claim 1, wherein the ratio by concentration of boron in component (B) to alkaline earth metal in component (C) is 0.5 to 50 expressed in terms of atomic ratio.
 - The engine oil composition according to Claim 1, further comprising a secondary alkyl type zinc 5. dialkyldithiophosphate.
- The engine oil composition according to Claim 1, wherein the alkaline earth metal salt of salicylic acid 45 is a salicylate compound represented by the general formula:

$$\begin{pmatrix}
(R)_{n} & COO \\
OH
\end{pmatrix}_{2} M$$

wherein R is a hydrogen atom or an alkyl group having 1 to 30 carbon atoms, n is an integer from 1 to 55 4 and M is an alkaline earth metal, especially Ca, Ba or Mg.

- 7. The engine oil composition according to Claim 1, wherein the boron compound derivative of alkenylsuccinimide is (1) a product obtained by reacting an alkyl-substituted succinic anhydride with a reaction product between an alkyleneamine and a boron compound, (2) a product obtained by reacting an alkylamine with a reaction product between a hydrocarbon-substituted succinic anhydride and a boron compound, (3) a product obtained by reacting a primary amino boron compound containing hydroxyl groups with an alkenylsuccinic anhydride, (4) a product obtained by reacting a boron compound with a product which results from the reaction of an aromatic polybasic carboxylic acid, an alkenylsuccinic acid and a polyalkylenepolyamine at a specific molar ratio, (5) a condensation product among an amino alcohol, a boric acid and an oxyethanecarboxylic acid or (6) a product obtained by reacting a polyalkyleneglycol, a secondary alkanolamine and a boron compound with a polyalkenylsuccinic anhydride one after another.
- 8. The engine oil composition according to Claim 1, wherein the molybdenum dithiophosphate is a molybdenum disopropyldithiophosphate, a molybdenum di-(2-ethylhexyl) dithiophosphate or a molybdenum di-(nonylphenyl) dithiophosphate.
- 9. The engine oil composition according to Claim 1, wherein the molybdenum dithiocarbamate is a molybdenum dibutyldithiocarbamate, a molybdenum di-(2-ethylhexyl)-dithiocarbamate or a molybdenum dilauryldithiocarbamate.
- 10. The engine oil composition according to Claim 1, wherein the base oil is a mixture of a mineral oil and a synthetic oil each having a kinematic viscosity of 1 to 100 cSt at 100 °C.



EUROPEAN SEARCH REPORT

Application Number

EP 92 12 0534

	DOCUMENTS CONSIDE Citation of document with indice	ation, where appropriate.	Relevant to claim	
ү	of relevant passage EP-A-0 391 651 (EXXO PATENTS) * page 31, line 5 - 1 * page 23, line 54	N CHEMICAL ine 8: claims 7,18	1-3,5,	7
Y	EP-A-0 113 045 (HOND * page 8, line 26 - p page 10, line 3 - lin 12 - line 20; page 5, 12; page 6, line 25 -	page 9, line 25; se 4; page 4, line line 11 - line	1-3,5,	7 (C 10 M 141/08 C 10 M 129:54 C 10 M 133:56 C 10 M 135:18) (C 10 M 141/10 C 10 M 129:54 C 10 M 133:56
D	12; page 6, Time 23 & JP-B-3 023 595 (HON	IDA MOTOR)		C 10 M 137:10
A	US-A-4 164 473 (K.CC * column 5, line 1 - line 33 - line 37; column 9, line 48; column 9, line	line 15; column 7; nlumn 7. line 44 -	1,2,5	(C 10 M 141/12 C 10 M 129:54 C 10 M 135:18 C 10 M 137:10
A	EP-A-0 447 916 (NIP * page 1, line 10 - line 55 - line 56; p page 3, line 34; pag 15; page 5; table 1	line 15; page 2, age 3, line 27; e 4, line 14 - lin	1,2,6 ,9	TECHNICAL FIELDS SEARCHED (Int. Cl.5) C 10 M
A	EP-A-0 067 002 (THE CORPORATION)	LUBRIZOL		
-	The present search report has i	been drawn up for all claims Date of completion of the	searth	Ex aminer
	Piace of search	11-03-1993		HILGENGA K J
EI WOO	CATEGORY OF CITED DOCUM! Caregory of CITED DOCUM! Caregory relevant if taken alone particularly relevant if combined with a document of the same category Caregory Caregory	T : theor E : earlie after D : docu L : docu C : mean A : mean	the filing date ment cited in the al ment cited for other	polication



•

EUROPEAN SEARCH REPORT

Application Number

EP 92 12 0534

- 1	OCUMENTS CONSID	<u> </u>				
Category	of relevant pass	ages	Relevant to claim	CLASSIFICATION OF TH APPLICATION (Int. Cl.5)		
				C 10 M 137:10 C 10 M 139:00) (C 10 M 163/00 C 10 M 129:54 C 10 M 135:18 C 10 M 137:10 C 10 M 137:10)		
			-	TECHNICAL FIELDS SEARCHED (Int. Cl.5)		
	present search report has been d	Date of completion of the search		Exminer		
CATEO : particulari : particulari document : technologi : non-writte	GORY OF CITED DOCUMENTS y relevant if taken alone y relevant if combined with another of the same category cal background n disclosure te document	T: theory or principle E: earlier patent docu after the filing dat D: document cited in L: document cited for d: member of the sam	underlying the invent, but published the application other reasons	ed on, or		

BNSDOCID: <EP 0562172A1>

EPO PORM 1503 03.82 (P0401)

THIS PAGE BLANK (USPTO)